# **WD910**



#### All in One Smart Handheld POS



WD910 Android airtime POS with printer machine, Android 9.0 operating system, 5.5 inch screen touch, super long standby battery, thermal paper printing,5 million pixels camera(option), 2g/3g /4g/wifi, bluetooth communication,this fine workmanship and top quality machine is the best choice in the market.

#### **Features**

- Serviceable range: apply chain supermarkets, restaurants, Parking system, Prepaid airtime top up, convenience stores, clothing store, premises, bakery, cashier, pay, enters sells saves the business management function.
- Android 9.0 operating system: adopt the open android system;
- Can let the user a simple and efficient development of the upper application;

### **Optional**



Express



Delivery



Retail store



Restaurant



Other industry



## **Specifications**

Operating system	Android 9.0		
CPU	Quad-Core Processor		
RAM	2GB	ЕММС	16GB
LCD Screen	5.5 inch		
Display Resolution	720*1280		
Fingerprint collection module(optional)	Spatial resolution :508 DPI Active sensor area :12.8mm*18.0mm (In compliance with FBI)		
Communication	4G/3G/2G/Hot spot/Bluetooth/WiFi (2.4Hz & 5Hz)		
GPS	Built-in GPS		
USB	USB Type C USB(OTG), Mini USB serial port		
Camera	5MP rear camera with LED flashlight Support 1D / 2D scanning		
Card Slot	SIM ×2; SD×1 (support SD 3.0, up to 128GB)		
Touch screen	Capacitive touch screen, support the electronic signature		
Charging Indicator light	Single color LED		
Printer	70mm/s Built-in high speed thermal printer 58mm print paper 40mm diameter paper roll		
Multimedia	Support for recording, voice broadcast Support video play back/recording		
NFC card	Support ISO/ IEC 14443 A&B, Mifare, felica card, conform to EMV/ PBOC PayPass standard (Optional)		
Multimedia	Support for recording, voice broadcast, Support video play back/recording		
Password keyboard	Built-in password keyboard (virtual); Support DES, 3 DES, RSA, SHA - 256 and AES;algorithm		
Battery	Lithium battery, 5600 mAh		



Power adapter	Input:110V to 240V AC/60 ~ 50Hz Output: 5 v DC / 2 A General Type C USB interface
Dimension and weight	199.75mm×83mm×57.5mm, 414g
Standard Accessories	lpc power adaptor lpc Type C USB cable, lpc User Manual, lpc Warranty card lroll 58mm thermal paper, lpc silicone case (optional) lpc Hand Belt (optional)
Certificate	FCC, CE, CCC

