

WD8360

80MM Kitchen Thermal Printer



USB



WIFI



BT



Features

- Support 1D,2D bar code printing Support cash drawer driving.
- Excellent waterproof, anti-oil, anti-dust structure design.
- Air printing can be option.Support separate table receipt function.
- Equipped with wall mounting,no need install haning bracket by manual.
- Support 80mm paper width, clear printing quality and reliable performance.
- 100 % Origin Japanese Mechanism,long lasting auto-cutter up to 1.5million cuts.
- Professional kitchen printer equipped with Flash LED light and big voice beeper, which remind the cooker very well.
- Optional interface: USB+LAN/ RS232+USB+LAN/ RS232+USB+LAN+Bluetooth/ RS232+USB+LAN+WiFi.
- Can be widely used in manufacturing & warehouse logistic industry, healthcare, parcel post, office & studio, retail & etc.



Specifications

Scanner parameters :

Printing :	Print Method	Direct Thermal
	Print Speed	230mm/s,260m/s
	Resolution	576dots/line
	Printing Width	72mm
	Interface	USB+LAN/USB+LANRS232+/ USB+LAN+RS232+Bluetooth/ USB+LAN+RS232+WiFi
Kitchen function :	Power,Paper,Erro	Support
	LED light with	Without
	Hanging device	Equipped
Memory	Input buffer	256kbytes
	NV Flash	256kbytes
Fonts :	Font A 12x24	Font B 9x17
	Chinese	GB18030,BIG24 5x24dots
	Japanese/Korea	Support
	User-defined	Support
Barcode :	1D	UPC-A/UPC-E/JAN13 (EAN13) /JAN8 (EAN8) /CODE39/ITF/CODABAR/CODE93/CODE128
	2D	QR code
Detection :	Sensors	Paper out, paper near end, cover open, cutter jam,paper jam and black mark detection(Optional)
Power Supply :	Input	AC 100V-240V 60/50HZ
	Output	DC 24V/2.5A



WDLINK

Paper :	Paper Type	Thermal Receipt Paper
	Paper Thickness	0.06~0.08mm
	Roll Dia	Max. Ø 83 mm
	Paper Load	Easy paper loading
Physical Characteristics :	Paper Cut	Auto-cutter
	Working	0°C~45°C, 10%~ %80RH
	Storage	-10°C-65°C, 10%~ %90RH
	Dimensions	0.06~0.08mm
Reliability :	Net weight	1KG
	Printing head	150KM
OS :	cutter	1.5million
	Emulation	ESC/POS
	Driver	Windows/Linux/ Mac
	SDK	Android, IOS

Product Pictures



WDLINK