

WDLINK

WD9800

2D Wireless Bluetooth Barcode Scanner



Windows



Android



Mac os



Linux



Bluetooth



Features

- Supports Bluetooth/2.4G wireless, 2modes for optional.
- Built-in 2600mAh battery, super-long standby time.
- Supports Handheld/Continuous/Auto-Induction, 3modes for option.
- Support Multinational keyboard languages, can be used in many countries.
- Support SPP,HID,BLE mode. Base supports data transmission and battery charging.
- Equipped with CMOS technology,Global shutter exposure,easier to read barcodes.
- Work with Windows XP/10/8/7, Mac OS, Windows Mobile, Android OS, iOS.
- With the unique battery indicator light showing the remaining battery level, no more Low Battery Anxiety.
- Startup and Shutdown button humanized design,One-key power-on and power-off at any time.
- Recongnizable Digital/Printed 1D 2D QR Barcode,Even damaged, blurring, incomplete, fuzzy and reflective barcodes can be decoded easily.
- More customizations are available such as automatic sensing, hiding barcode character, add prefix or suffix and volume adjustment, add keyboard keys (TAB, CR&LF) etc.



WDLINK

Specifications

Scanner parameters :

Transmission mode :	Bluetooth/2.4G
Storage :	100,000 barcodes
Distance :	50m/100m
Sensor :	640*480 CMOS Global shutter exposure
CPU :	ARM -32bit Cortex
Battery :	3.7V-2600mAh
Indication :	Buzzer & LED
Light aimer :	617nm LED
Resolution :	4mil
Anti-inference :	0- 100000Lux Max
Decoding speed :	500scans/sec
Illumination :	6500K LEDs
Printing Contract :	≥25%
Interface :	USB, USB-COM
Button life :	8000,000 times
Material :	ABS+PC

Trigger Mode : Handheld,Continuous,Auto-Induction

Depth Of Field :	13mil-EAN13	50-250mm
	4mil-code39	60-100mm
	20mil-QR	40-300mm
	10mil-PDF417	40-280mm

Decode Capability :

ID :	UPC-A, UPC-E, EAN8-, EAN13-, Code 128, Code 39, Code 93, Code 11, Interleaved 2 of 5, Matrix 2 of 5, Standard 2 of 5, Coda bar, MSI Plessey, RSS, etc.
------	--



WDLINK

2D :	QR Code, Data Matrix, PDF417, Aztec code, Maxicode, etc.
Scanning angle :	Angle of rotation 360°, inclination± 65°, declination ± 60°
Working current :	3.3Vx200mA
Working time :	7 to 10 days
Certificate :	CE, FCC, RoHS, IP54
Standby current :	18uA-5mA
Charging power :	5V-400mA
Drop test :	2m

Product Pictures

Quickly Scan Various 1D/2D Barcodes
32-bit high-speed processor with strong decoding ability



1D Barcode:
UPC-A, UPC-E, EAN-8, EAN-13, Code128, Code39, Code 39 Full ASCII (Codabar), Industrial 2 of 5, Interleaved 2 of 5, Code 49, FIM, Code49, ISBN, ISSN, China Post 951 Databar, Code16, etc.

2D Barcode:
QR Code, Data Matrix, PDF417, Aztec code, Maxicode, etc.

Can read both normal and inverted white barcodes on black background surface

Remaining Battery Display
With the unique battery indicator light showing the remaining battery level, no more low battery anxiety



2600mAh-Full	100%
3/4	75%
1/2	50%
1/4	25%

3 Types of Scanning Modes



- Auto-sensing Scanning Mode
- Continuous Scanning Mode
- Key Trigger Mode

Anti-Shock Material
With shock-resistant and durable ABS material, it can effectively protect the scanner fall from 6.6ft/2.0m height without damage and make the scanner have a long service life

ABS material




WDLINK