WDLINK

WDT2300

## Biometric Full Height Turnstile

Industrial facility

Corporate security

Government security

Public transportation

The WDT2300 is designed to provide unsuper vised access control into .and cut o
high security facililies.

The impenetrable construction virtually eliminates any unauthorized entry
to restricted areas. The rigid welded stainless steel construction of the full
height rotor turnstiles offers advanced reliability and vandal resistance,
and guarantees many years of the turn¬stile trouble-free operation even
in unfavourable en-vironments.

The device integrated machinery, electronics, microprocessor control and
a variety of identity recognition technology.
Compatible with IC card, ID card, bar code card, fingerprints and other
identification equipments.

The use of electro-magetic drive and mechanism ensure smooth and quiet
operation as well as dy¬namic braking and crossbars positioning.

Design & construction

- Designed for sesure operation with asthetics inmaind

- Corrosion protected S/S frame

- Minimal ecposed hardware

WDLink

Specifications

Power supply		AC110V/220V, 50 w
Operating environment		Indoor/Outdoor
Adaptation temperature		-15 - 55°
Adaptation humidity		5% - 90%
Single Lane Dimension		2230*1200*1400 mm
Double lane Dimension		2230*1200*2100 mm
Speed of Throughput	RFID	35 person/minutes
	Fingerprint	30 person/minutes
	Face	20 person/minutes
	Vein	20 person/minutes
Tickness		1.2mm / 1.5mm
Lane width		600mm
Direction		Bi-directional
Unlock time		0.2s

Our Advantages

- Experience factory, all size thickness and appearance can be customized .
  OEM &ODM requirments are accepted.

- Can be connected with Access control systems Security Checking system. And be able to provide system integration solutions.

- Strict production process and quality control, assure of our products quality..

WDLink