



Description

The WDO2000VA is a compact UPS designed to protect computers and essential electronic equipment against power failures and voltage fluctuations. With a capacity of 2000VA / 1200W, it provides reliable backup power for home and office use.

Features

- 2000VA/1200W capacity
- Durable metal housing
- Protection against power outages
- Durable metal housing
- Compact and practical design
- Ideal for computers and office equipment
- Easy to install and use



Specification

Capacity	2000VA/1200W
Voltage	
Voltage :	120/110 VAC or 240/230/220 VAC
Voltage Range :	230-86 VAC or 300-140 VAC
Frequency Range :	Frequency Range
Output	
Output Voltage :	120/110 VAC or 240/230/220 VAC
Voltage regulation rate :	±10%
Frequency range (Bat Mode):	60Hz or 50Hz ± 1Hz
Transfer Time):	Typical 6-2ms
Waveform (Bat Mode):	Simulated Sinewave
Power Factor:	0,6
Protection:	
Full Protection:	Overload, discharge, and overcharger protection
Cold Start :	YES
Sound Alarm:	
Battery Mode :	Sounding every 4 seconds
Low Battery:	Sounding every 1 second
Fault :	Keep sounding
Dimension:	
Dimension D×W×H (mm) :	380x123x193
Net Weight (kg) :	12,5



Humidity :

%90-0 Relative Humidity 40-0 °C (Non-condensing)

Noise Level:

Less than 40dB

Packaging:

Weight per Box :

13,2

Box Size:

460x225x300mm

Qty per Master Carton :

2 pcs

Master Carton Size:

470x470x325

NW/kg :

25

GW/kg:

25,7

